



ConSlitter

Duplex slitter

# **ConSlitter CHRO BlackLine**

# **Technical Data**

#### **Materials**

Films, refined papers, laminates

## **Material thickness**

10 - 500 μm

#### **Material widths**

1,450 · 1,750 · 2,050 2,250 mm

# **Parent roll diameters**

1,300 mm

# Finished roll diameters

max. 850 mm

# Finished roll weights

max. 600 kg (feature-dependent)

# Slitting systems

Blade cut · scissor cut

## Slitting widths

≥ 25 mm

## Winding cores

70 mm · 3" · 6"

## **Machine speed**

max. 1,000 m/min

Efficiency.
A definite strength of the **ConSlitter**.



# For perfect slitting and winding results:

- Optional ergonomic splicing tables
- Scissor shear cut or razor blade cut, manual or automatic
- Pneumatic single contact roll system
- Friction differential or torque winding rewind shaft options
- Antistatic equipment

# For high efficiency:


- Core positioning aid or automatic positioning system
- Automatic cross-cutting and lay-on system for easy roll change
- Automatic cross splicing system for sticking on/sealing
- Pushing device
- Different rewind roll removal stands and material unloading options
- Edge trim suction device

# Special. Precise. Extensive.

The ConSlitter CHRO BlackLine is the right answer whenever you need to process particularly sensitive materials on a two-spindle machine or if you require a high degree of automation.

Thanks to the linear winding system, materials can be processed effectively at higher web speeds. Special equipment options such as automatic cross splicing, cross cutting/laying and a pneumatic single contact roll system are possible. The combination of an optional automatic slitting section with automatic core positioning also offers further set-up advantage. Choose the equipment features that best meet your individual production requirements from our comprehensive modular system.

- Reduce set-up times
- Reduce rewind cycle times
- Create flexibility
- Realize data transfer



Improved awareness brings more security into your everyday life. An intelligent lighting concept communicates the current status of the machine. By changing the color of the illumination according to the situation, you

can monitor this in the direct surrounding the machines as well as from a distance. With the other newly designed and fully integrated safety devices, you always have an overview, even from a safe distance.









Safety rethought. Occupational safety with perspective.

# **Look** and Feel.

A NEW DESIGN.

**OPERATOR COMFORT IN** 

Simplified machine operation, optimum accessibility and integrated safety are combined by a completely new design and color concept.

The intuitive KAMPF 2-touch operation is an integral part of the striking industrial design, such as the newly designed workplaces or the future-oriented handling and digitization solutions. Behind the shape of the new ConSlitter there is, of course, as usual the state-of-the-art Siemens control system combined with precise drive technology and proven mechanical engineering.



1,000 m/min max. machine speed



850 mm



# A modular system.

OPTIONS SUITABLE FOR YOUR APPLICATION



Splicing table

High-quality splices - made easy by selection of the optimum splice table.



**Automatic knife positioning** 

For repeating exact slitting positions and set-up time reduction.




Scissor shear cut / razor blade cut

Optionally in combination with single knife holders.



Scissor shear cut

For best quality with long service life. Optionally with automatic positioning and single knife holders.



Single contact rolls

Ensure contact to the winding over the entire working width in case of extremly different material thicknesses.



Cross cutting

Automatic cross cutting and lay-on for fast roll change.

# DIGITAL CUSTOMER SOLUTIONS

The digital **customer portal my@vanced** and the **integrative platform the@vanced** make change accessible: with digital collaboration, intelligent production, and continuous evolution of know-how.



my@vanced is our digital customer portal: Up-to-date information, practical knowledge, easy spares identification, online shop, and the certainty to have all necessary information in one place – at any time.





the@vanced is our digital integrative platform. It connects value chain systems in the field of webshaped materials processing. With the <u>five packages</u> Essential, Assistance, Availability, Productivity and Connectivity it allows scalable solutions from using our Remote Service to a full integration into existing MES or ERP systems.











# Your partners worldwide

# Germany

#### Kampf GmbH

Mühlener Straße 36-42 • 51674 Wiehl fon +49 2262 81-0 info@kampf.de www.kampf.de

# **United Kingdom**

#### Atlas Converting Equipment Ltd.

8 Wolseley Road, Woburn Road Industrial Estate Kempston • Bedford, MK42 7XT fon +44 1234 852553 sales@atlasconverting.com service@atlasconverting.com www.atlasconverting.com

## USA

# **Kampf Machinery Corporation**

Kennedy Technology Center 900 River Street, Unit H • Windsor, CT-06095 fon +1 860 640 0040 • info@kampfusa.com www.kampfusa.com

## Atlas Converting North America, Inc.

9801-F Southern Pine Boulevard • Charlotte, NC 28273 fon +1704 587 2450 sales.usa@atlasconverting.com service.usa@atlasconverting.com www.atlasconverting.com

# China - Hong Kong

#### Kampf (Hong Kong) Co. Ltd.

Room 803, 8/F • Wanchai Commercial Centre 194-204 Johnston Road, Wanchai • Hong Kong fon +852 2882 1136 kampfhk@kampf.com.hk

# China - Shanghai

## Kampf Machinery (Shanghai) Co. Ltd.

302-304, Floor 3 • No. 8, Sunnyworld Center Lane 1518, South Yumin Road Jiading District • 201801 Shanghai fon +86 21 5951 8030 kampf@kampf-cn.com

## India

## Kampf Machinery India Pvt. Ltd.

413, fourth floor, Atlantis Heights Sarabhai Compound, Near Genda Circle • 390007 Vadodara, Gujarat fon +91 962 404 4922 service@kampf-india.com

## Kampf Machinery India Pvt. Ltd.

Office no. 1121, Tower no. A, Plot No. A-40, ITHUM Building Sector-62 • 201309 Noida, Uttar Pradesh fon +91 96240 89896 sales@kampf-india.com

